

## Safety Data Sheet

# Hydrogen PurityPlus Gases

6331 East 30th Street P.O. Box 19907 Indianapolis, IN 46219-0907 317.562.1483 (tel) 317.562.1484 (fax)

### **Section 1: Product and Company Identification**

#### **PurityPlus Gases**

6331 East 30th Street P.O. Box 19907 Indianapolis, IN 46219-0907 317.562.1483 (tel) 317.562.1484 (fax)

Product Code: Hydrogen

### **Section 2: Hazards Identification**



#### **Hazard Classification:**

Flammable (Category 1) Flammable Aerosol (Category 1) Gases Under Pressure

#### **Hazard Statements:**

Contains gas under pressure; may explode if heated Extremely flammable aerosol Extremely flammable gas

#### **Precautionary Statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Pressurized container: Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source.

#### Response:

Eliminate all ignition sources if safe to do so. Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

#### Storage:

Protect from sunlight. Store in well-ventilated place. Do not expose to temperatures exceeding 50C/122F.

PurityPlus Gases Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved page 1 of 5

Generated: 06/30/2015 09:53:39

### Section 3: Composition/Information on Ingredients

CAS# 1333-74-0

Chemical Substance	Chemical Family	Trade Names
HYDROGEN	inorganic, gas	HYDROGEN GAS; HYDROGEN COMPRESSED; HYDROGEN (H2); DIHYDROGEN; UN 1049; H2

### Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

### **Section 5: Fire Fighting Measures**

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon dioxide, regular dry chemical Large fires: Flood with fine water spray.	None known	<ul> <li>Any self-contained breathing apparatus with a full facepiece.</li> <li>Any self-contained breathing apparatus with a full facepiece.</li> </ul>

### **Section 6: Accidental Release Measures**

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry.  Do not touch spilled material. Ventilate closed spaces before entering.	Avoid heat, flames, sparks and other sources of ignition.	Reduce vapors with water spray. Remove sources of ignition.

Methods for Cleanup	Other Information
Stop leak if possible without personal risk.	None

### **Section 7: Handling and Storage**

Handling	Storage
Store and handle in accordance with all current regulations and standards. Grounding and bonding required.	Keep separated from
Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.

### **Section 8: Exposure Controls/Personal Protection**

Exposure Guidelines
HYDROGEN: ACGIH (simple asphyxiant)

page 2 of 5 Generated: 06/30/2015 09:53:39

#### **Engineering Controls**

Handle only in fully enclosed systems.

Eye Protection	Skin Protection	Respiratory Protection
Eye protection not required, but recommended.	Protective clothing is not required.	Any self-contained breathing apparatus with a full facepiece.

#### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

### **Section 9: Physical and Chemical Properties**

Phys	ical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas		Colorless	Colorless	N/A	Gas	Odorless	Tasteless

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Flammable gas (burns at all ambient	Not available	Not available	752 F (400 C)	0.75	0.04
temperatures)					

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-423 F (-253 C)	-434 F (- 259 C)	760 mmHg @ -253 C	0.07 (Air=1)	Not applicable	1.82% @ 20 C	Not applicable	Not available	Not applicable	0.008957 cP @ 26.8 C

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
2	H2	0.08987 g/L @ 0 C	Not available	Not available	Not applicable	Soluble: Not available

### **Section 10: Stability and Reactivity**

Stability	Conditions to Avoid	Incompatible Materials	
Stable at normal	Stable at normal	Metals, oxidizing materials, metal oxides, combustible materials, halogens, metal salts,	
temperatures and	temperatures and	halo carbons, nitrogen triflouride, oxygen diflouride, magnesium and calcium carbonate,	
pressure.	pressure.	sodium, potassium	

Hazardous Decomposition Products	Possibility of Hazardous Reactions	
Miscellaneous decomposition products	Will not polymerize.	

### **Section 11: Toxicology Information**

#### **Acute Effects**

Oral LD50	Dermal LD50	Inhalation
Not available	Not available	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, convulsions, unconsciousness, coma

Eye Irritation	Skin Irritation	Sensitization	
Not irritating	Not irritating	Difficulty breathing	

#### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
ı	Not available	Not available	Not available	No data

PurityPlus Gases page 3 of 5 Generated: 06/30/2015 09:53:39

### **Section 12: Ecological Information**

**Fate and Transport** 

Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

### **Section 13: Disposal Considerations**

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

### **Section 14: Transportation Information**

#### U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Hydrogen, compressed	UN1049	2.1	Not applicable	2.1	Forbidden	150 kg	None

**Canadian Transportation of Dangerous Goods** 

Shipping Name	UN Number	Class	Packing Group / Risk Group
Hydrogen, compressed	UN1049	2.1	Not applicable

### **Section 15: Regulatory Information**

U.S. Regulations

2.2.1.29					
CERCLA Sections	SARA 355.30	SARA 355.40			
Not regulated.	Not regulated.	Not regulated.			

#### **SARA 370.21**

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	Yes	No	Yes

**SARA 372.65** 

Not regulated.

**OSHA Process Safety** 

Not regulated.

**State Regulations** 

CA Proposition 65 Not regulated.

**Canadian Regulations** 

WHMIS Classification A, B1.

**National Inventory Status** 

US Inventory (TSCA) TSCA 12b Export Notification		Canada Inventory (DSL/NDSL)		
Listed on inventory.	Not listed.	Listed on inventory.		

page 4 of 5 Generated: 06/30/2015 09:53:39

### **Section 16: Other Information**

NFPA Rating

HEALTH=0 FIRE=4 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

PurityPlus Gases Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved