

CARBON DIOXIDE (10%-50%) in NITROGEN Safety Data Sheet

1. IDENTIFICATION

Product identifier Product Name

CARBON DIOXIDE (10%-50%) in NITROGEN

Other means of identification Safety data sheet number UN/ID no. Trade name

LIND-M0028 UN1956 Beer Gas Stout, Food Fresh 2, Food Fresh 3, Food Fresh 5, MAPAX NC20, MAPAX NC25, MAPAX NC30, MAPAX NC40, MAPAX NC50

Recommended use of the chemical and restrictions on useRecommended UseIndustrial and professional use.Uses advised againstConsumer use

Details of the supplier of the safety data sheet Linde Gas North America LLC - Linde Merchant Production Inc. - Linde LLC 575 Mountain Ave. Murray Hill, NJ 07974 Phone: 908-464-8100 www.lindeus.com

Linde Gas Puerto Rico, Inc. Road 869, Km 1.8 Barrio Palmas, Catano, PR 00962 Phone: 787-641-7445 www.pr.lindegas.com

Linde Canada Limited 5860 Chedworth Way Mississauga, Ontario L5R 0A2 Phone: 905-501-1700 www.lindecanada.com

* May include subsidiaries or affiliate companies/divisions.

For additional product information contact your local customer service.

Emergency telephone number800-232-4726 (Linde National Operations Center, US)
905-501-0802 (Canada)CHEMTREC: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Gases under pressure	Compressed gas
Simple asphyxiants	Yes

Label elements



Signal word

Warning

Hazard Statements Contains gas under pressure; may explode if heated May displace oxygen and cause rapid suffocation May increase respiration and heart rate

Precautionary Statements - Prevention Do not handle until all safety precautions have been read and understood Avoid breathing gas Use and store only outdoors or in a well ventilated place Use a backflow preventive device in piping Use only with equipment rated for cylinder pressure Close valve after each use and when empty

Precautionary Statements - Response IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention/advice.

Precautionary Statements - Storage Protect from sunlight when ambient temperature exceeds 52°C/125°F

Hazards not otherwise classified (HNOC) Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No. Volume % Chemical		Chemical Formula
Nitrogen	7727-37-9	50-90	N 2
Carbon dioxide	124-38-9	10-50	CO 2

Composition covers range of mixtures that fall within the same hazard classifications.

4. FIRST AID MEASURES

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Skin contact	None under normal use. Get medical attention if symptoms occur.	
Eye contact	None under normal use. Get medical attention if symptoms occur.	
Ingestion	Get medical attention if symptoms occur. None under normal use.	
Self-protection of the first aider	RESCUE PERSONNEL SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS.	
Most important symptoms and effects, b	both acute and delayed	
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess	

Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<19.5%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death. Depending on concentration and duration of exposure to carbon dioxide may cause increased respirations, headache, mild narcotic effects, increased blood pressure and pulse, and asphyxiation. Symptoms of overexposure become more apparent when atmospheric oxygen is decreased to 15-17%.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific extinguishing methods

Continue to cool fire exposed cylinders until flames are extinguished. Damaged cylinders should be handled only by specialists.

Specific hazards arising from the chemical

Non-flammable gas. Cylinders may rupture under extreme heat.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Monitor oxygen level. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.

Environmental precautions

Environmental precautions	Prevent spreading of vapors through sewers, ventilation systems and confined areas.
Methods and material for containm	nent and cleaning up
Methods for containment	Stop the flow of gas or remove cylinder to outdoor location if this can be done without risk. If leak is in container or container valve, contact the appropriate emergency telephone number in Section 1 or call your closest Linde location.
Methods for cleaning up	Return cylinder to Linde or an authorized distributor.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on safe handling	
	Protect cylinders from physical damage; do not drag, roll, slide or drop. Never attempt to lift a cylinder by its valve protection cap. When moving cylinders, even for short distance, use a cart designed to transport cylinders. Never insert an object (e.g. wrench, screwdriver, pry bar,etc.) into valve cap openings. Doing so may damage valve, causing leak to occur. Use an adjustable strap wrench to remove over-tight or rusted caps. Use only with adequate ventilation. Use a backflow preventive device in piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. If user experiences any difficulty operating cylinder valve discontinue use and contact supplier. Ensure the complete gas system has been checked for leaks before use. Never put cylinders into trunks of cars or unventilated areas of passenger vehicles. Never attempt to refill a compressed gas cylinder without the owner's written consent. Never strike an arc on a compressed gas cylinder or make a cylinder a part of an electrical circuit. Only experienced and properly instructed persons should handle gases under pressure. Always store and handle compressed gas cylinders in accordance with Compressed Gas Association, pamphlet CGA-P1, Safe Handling of Compressed Gas Association's (CGA) Safety Bulletin SB-2,
	Oxygen-Deficient Atmospheres.
<u>Conditions for safe storage, includi</u> Storage Conditions	ng any incompatibilities Store in cool, dry, well-ventilated area of non-combustible construction away from heavily trafficked areas and emergency exits. Keep at temperatures below 52°C / 125°F. Cylinders should be stored upright with valve protection cap in place and firmly secured to prevent falling. Full and empty cylinders should be segregrated. Use a "first in-first out" inventory system to prevent full cylinders from being stored for excessive periods of time. Stored containers should be periodically checked for general condition and leakage.
Incompatible materials	Carbon dioxide is incompatible with:. Certain reactive metals, hydrides, moist cesium monoxide, or lithium acetylene carbide diammino may ignite. Passing carbon dioxide over a mixture of sodium peroxide and aluminum or magnesium may explode.
8.	EXPOSURE CONTROLS/PERSONAL PROTECTION
Control parameters	

Exposure Guidelines

Exposure ourdennes	•		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon dioxide	STEL = 30000 ppm	TWA: 5000 ppm	IDLH: 40000 ppm
124-38-9	TWA: 5000 ppm	TWA: 9000 mg/m ³	TWA: 5000 ppm
		(vacated) TWA: 10000 ppm	TWA: 9000 mg/m ³
		(vacated) TWA: 18000 mg/m ³	STEL: 30000 ppm
		(vacated) STEL: 30000 ppm	STEL: 54000 mg/m ³

· · · · ·				
	(vacated) STEL: 54000 mg/m ³			
ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health				
Other Information	Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).			
Appropriate engineering controls				
Engineering Controls	Local exhaust ventilation to prevent accumulation of high concentrations and maintain air-oxygen levels at or above 19.5%. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularly checked for leakages.			
Individual protection measures, such as personal protective equipment				
Eye/face protection	ye/face protection Wear safety glasses with side shields (or goggles).			
Skin and body protection	Work gloves and safety shoes are recommended when handling cylinders.			
Respiratory protection	Use positive pressure airline respirator with escape cylinder or self contained breathing apparatus for oxygen-deficient atmospheres (<19.5%). If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.			
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold pH Melting point Evaporation rate Lower flammability limit: Upper flammability limit: Flash point Autoignition temperature Decomposition temperature Partition coefficient	Compressed gas Colorless. Odorless. No information available No data available No data available Not applicable Not applicable Not applicable. No data available No data available No data available
Kinematic viscosity	Not applicable

Chemical Name	Molecular weight	Boiling point	Vapor Pressure	Vapor density (air =1)	Gas Density kg/m ³ @20°C	Critical Temperature
Nitrogop	20.01	104 °C	Above critical	.,	5	I
Nitrogen	28.01	-196 °C	Above critical temperature	0.97	1.153	-146.9 °C
Carbon dioxide	44.01	-78.5 °C (Sublimes)	838 psig (5778 kPa) @ 21.1°C	1.522	1.839	31.1 °C

10. STABILITY AND REACTIVITY

<u>Reactivity</u> Not reactive under normal conditions

Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid

Due to the presence of Carbon dioxide, Carbonic acid is formed in the presence of moisture.

Incompatible materials

Carbon dioxide is incompatible with:. Certain reactive metals, hydrides, moist cesium monoxide, or lithium acetylene carbide diammino may ignite. Passing carbon dioxide over a mixture of sodium peroxide and aluminum or magnesium may explode.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Acidosis, adrenal cortical exhaustion, and other metabolic stresses have resulted from prolonged continuous exposure to 1-2% carbon dioxide (10,000 ppm-20,000 ppm). The ACGIH TLV of 5,000 ppm is expected to provide a good margin of safety from asphyxiation and undue metabolic stress provided sufficient oxygen levels are maintained in the air. Increased physical activity, duration of exposure, and decreased oxygen content can affect systemic and respiratory effects resulting from exposure to carbon dioxide.
Skin contact	No data available.
Eye contact	No data available.
Ingestion	Not an expected route of exposure.
Information on toxicological effects	
Symptoms	Simple asphyxiant. May cause suffocation by displacing the oxygen in the air. Exposure to oxygen-deficient atmosphere (<=18%) may cause dizziness, drowsiness, nausea, vomiting, excess salivation, diminished mental alertness, loss of consciousness and death. Exposure to atmospheres containing 8-10% or less oxygen will bring about unconsciousness without warning and so quickly that the individuals cannot help or protect themselves. Lack of sufficient oxygen may cause serious injury or death. Depending on concentration and duration of exposure to carbon dioxide may cause increased respirations, headache, mild narcotic effects, increased blood pressure and pulse, and asphyxiation. Symptoms of overexposure become more apparent when atmospheric oxygen is decreased to 15-17%.
Delayed and immediate effects as well a	as chronic effects from short and long-term exposure
Irritation Sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity Target Organ Effects	Not classified. Not classified. Not classified. This product does not contain any carcinogens or potential carcinogens listed by OSHA, IARC or NTP. Not classified. Not classified. Not classified. None known. Central vascular system (CVS), Respiratory system.

Aspiration hazard

Not applicable.

Numerical measures of toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	Inhalation LC50 (CGA P-20)
Carbon dioxide 124-38-9	-	-	470,000 ppm (Rat)	-
Product Information Oral LD50 Dermal LD50 Inhalation LC50	No information No information No information	navailable		

12. ECOLOGICAL INFORMATION

Ecotoxicity No known acute aquatic toxicity.

Persistence and degradability Not applicable.

<u>Bioaccumulation</u> No information available.

Global warming potential (GWP)

1 (Carbon Dioxide)

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Do not attempt to dispose of residual waste or unused quantities. Return in the shipping container PROPERLY LABELED WITH ANY VALVE OUTLET PLUGS OR CAPS SECURED AND VALVE PROTECTION CAP IN PLACE to Linde for proper disposal.

14. TRANSPORT INFORMATION

DOT

UN/ID no.	UN1956
Proper shipping name	Compressed gas, n.o.s.
Hazard Class	2.2
Description	UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2
Emergency Response Guide Number	126
TDG	
UN/ID no.	UN1956
Proper shipping name	Compressed gas, n.o.s.
Hazard Class	2.2
Description	UN1956, Compressed gas, n.o.s., 2.2
MEY	

MEX

UN/ID no.	UN1956
Proper shipping name	Compressed gas, n.o.s.
Hazard Class	2.2
Description	UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2

<u>IATA</u>

IMDGUN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2EmS-No.F-C, S-VSpecial Provisions274DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)Labels2.2	UN/ID no. Proper shipping name Hazard Class ERG Code Description	UN1956 Compressed gas, n.o.s. 2.2 2L UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2
Driver shipping nameCompressed gas, n.o.s.Hazard Class2.2EmS-No.F-C, S-VSpecial Provisions274DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	IMDG	
Hazard Class2.2EmS-No.F-C, S-VSpecial Provisions274DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	UN/ID no.	UN1956
EmS-No.F-C, S-VSpecial Provisions274DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Proper shipping name	Compressed gas, n.o.s.
Special Provisions274DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Hazard Class	2.2
ADRUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2ADRUN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	EmS-No.	
ADRUN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Special Provisions	_/ .
UN/ID no.UN1956Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Description	UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2
Proper shipping nameCompressed gas, n.o.s.Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	ADR	
Hazard Class2.2Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	UN/ID no.	UN1956
Classification code1ATunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Proper shipping name	Compressed gas, n.o.s.
Tunnel restriction code(E)Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Hazard Class	2.2
Special Provisions274, 655DescriptionUN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Classification code	1A
Description UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)	Tunnel restriction code	(E)
	Special Provisions	274, 655
Labels 2.2	Description	UN1956, Compressed gas, n.o.s. (Nitrogen, Carbon dioxide), 2.2, (E)
	Labels	2.2

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories	
Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	Yes
Reactive Hazard	No

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

asphyxiant

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Risk and Process Safety Management Programs

This material, as supplied, does not contain any regulated substances with specified thresholds under 40 CFR Part 68. This product does not contain any substances regulated as Highly Hazardous Chemicals pursuant to the 29 CFR Part 1910.110.

US State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Nitrogen 7727-37-9	Х	Х	Х
Carbon dioxide 124-38-9	Х	Х	Х

Chemical Name	Carcinogenicity	Exposure Limits
Carbon dioxide	-	Mexico: TWA= 5000 ppm
		Mexico: TWA= 9000 mg/m ³
		Mexico: STEL= 15000 ppm
		Mexico: STEL= 27000 mg/m ³

16. OTHER INFORMATION

NFPA	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical
				Properties Simple

Note: Ratings were assigned in accordance with Compressed Gas Association (CGA) guidelines as published in CGA Pamphlet P-19-2009, CGA Recommended Hazard Ratings for Compressed Gases, 3rd Edition.

Issue Date	06-May-2015
Revision Date	06-May-2015
Revision Note	Initial Release

General Disclaimer

For terms and conditions, including limitation of liability, please refer to the purchase agreement in effect between Linde LLC, Linde Merchant Production, Inc. or Linde Gas North America LLC (or any of their affiliates and subsidiaries) and the purchaser.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

End of Safety Data Sheet