

# **Safety Data Sheet**

#### Xenon

PurityPlus Gases 6331 East 30th Street P.O. Box 19907 Indianapolis, IN 46219-0907 317.562.1483 (tel) 317.562.1484 (fax)

# **Section 1: Product and Company Identification**

**PurityPlus Gases** 

6331 East 30th Street P.O. Box 19907 Indianapolis, IN 46219-0907 317.562.1483 (tel) 317.562.1484 (fax)

Product Code: Xenon

#### **Section 2: Hazards Identification**



#### **Hazard Classification:**

Aspiration Hazard (Category 1)
Gases Under Pressure

#### **Hazard Statements:**

Contains gas under pressure; may explode if heated May be fatal if swallowed and enters airways

#### **Precautionary Statements**

#### Response:

Do NOT induce vomiting. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor.

#### Storage:

Protect from sunlight. Store in well-ventilated place. Store locked up.

#### Disposal:

Dispose of contents and/or container in accordance with applicable regulations.

PurityPlus Gases Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

page 1 of 4

Generated: 06/30/2015 09:53:50

#### **Section 3: Composition/Information on Ingredients**

CAS# 7440-63-3

Chemical Substance	Chemical Family	Trade Names
XENON	inorganic, gas	XENON ATOM; STCC 4904595; UN 2036; Xe;

#### **Section 4: First Aid Measures**

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
No information on significant adverse effects	No information on significant adverse effects	No information on significant adverse effects	Remove to fresh air, and give artificial respiration is not breathing. Consider oxygen in breathing is difficult. Contact a physician immediately.	None

# **Section 5: Fire Fighting Measures**

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray.	Inorganic compounds	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure. Any self-contained breathing apparatus with a full facepiece.</li> <li>Respiratory protection may be needed for frequent or heavy exposure. Any self-contained breathing apparatus with a full facepiece.</li> </ul>

#### **Section 6: Accidental Release Measures**

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	Keep out of water supplies and sewers.	Stop leak if possible without personal risk.

Methods for Cleanup	Other Information
Absorb with sand or other non-combustible material. Collect with absorbent into suitable container.	None

# **Section 7: Handling and Storage**

Handling	Storage
Store and handle in accordance with all current regulations and standards. Subject to storage regulations:	Keep separated from incompatible
U.S. OSHA 29 CFR 1910.101.	substances.

#### **Section 8: Exposure Controls/Personal Protection**

**Exposure Guidelines** 

XENON: No occupational exposure limits established.

**Engineering Controls** 

Handle only in fully enclosed systems.

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved Generated: 06/30/2015 09:53:50

Eye Protection	Skin Protection	Respiratory Protection
Wear splash resistant safety goggles. Provide an	Protective clothing	Respiratory protection may be needed for frequent or heavy
emergency eye wash fountain and quick drench shower in	is not required.	exposure. Any self-contained breathing apparatus with a full
the immediate work area.		facepiece.

#### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

# **Section 9: Physical and Chemical Properties**

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-162 F	-170 F (-	760	4.561	Not	0.00108	Not	Not	Not	0.528 cP
(-108	112 C)	mmHg @	(Air=1)	applicable		applicable	available	applicable	@ 17 C
C)		-108 C							

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
131.3	XE	5.8878 g/L	Not available	Not available	Not applicable	Not available

# **Section 10: Stability and Reactivity**

Stability	Conditions to Avoid	Incompatible Materials
Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Halogens

Hazardous Decomposition Products	Possibility of Hazardous Reactions
None known.	Will not polymerize.

# **Section 11: Toxicology Information**

#### **Acute Effects**

Oral LD50	Dermal LD50	Inhalation
Not available	Not available	Nausea, vomiting, symptoms of drunkenness, suffocation, convulsions, coma

Eye Irritation	Skin Irritation	Sensitization	
No information is available	No information is available	Difficulty breathing	

#### **Chronic Effects**

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Not available	Not available	Not available	No data

# **Section 12: Ecological Information**

**Fate and Transport** 

Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: Not available	Not available	Not available	Not available
Invertibrate toxicity: Not available			
Algal toxicity: Not available			
Phyto toxicity: Not available			

PurityPlus Gases Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Generated: 06/30/2015 09:53:50

Other toxicity: Not available

#### **Section 13: Disposal Considerations**

Dispose in accordance with all applicable regulations.

### **Section 14: Transportation Information**

#### U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Xenon	UN2036	2.2	Not applicable	2.2	50 kg	500 kg	N/A

**Canadian Transportation of Dangerous Goods** 

Shipping Name	UN Number	Class	Packing Group / Risk Group
Xenon, compressed	UN2036	2.2	Not applicable

# **Section 15: Regulatory Information**

U.S. Regulations

CERCLA Sections	SARA 355.30	SARA 355.40
Not regulated.	Not regulated.	Not regulated.

**SARA 370.21** 

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	No	No	Yes

**SARA 372.65** 

Not regulated.

**OSHA Process Safety** 

Not regulated.

State Regulations

CA Proposition 65 Not regulated.

**Canadian Regulations** 

WHMIS Classification

**National Inventory Status** 

	/		
US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)	
Listed on inventory.	Not listed.	Not determined.	

### **Section 16: Other Information**

NFPA Rating

HEALTH=1 FIRE=0 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

PurityPlus Gases page 4 of 4 Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved Generated: 06/30/2015 09:53:50